




Franklin Electric

SURFACE PUMPS


PERFORMANCE & SOLUTIONS



pioneerpump.com



ENGINEERING TRUE PARTNERSHIPS



ABOUT FRANKLIN ELECTRIC

Franklin Electric is a global provider of complete systems for the movement of water.




ABOUT PIONEER PUMP

Pioneer Pump, a brand of Franklin Electric, specializes in the engineering and manufacturing of large centrifugal pumps and packages.



HIGH PERFORMANCE PUMPS

Transport water and wastewater for any sized job with our proven portfolio of centrifugal pumps.



SURFACE PUMPS

Leading-edge hydraulic engineering makes Pioneer Pump® centrifugal pumps the highest performing pumps on the market. Available in pump sizes from 3" (80 mm) to 18" (460 mm) with flows up to 18,500 gallons per minute (4,200 m³/h) and heads to 850 feet (260 m), our pumps are designed to provide better flow, higher head and greater efficiency to meet your unique challenges.



RANGE OF PUMP ENDS

PUMP END CONFIGURATION	FLOODED SUCTION (NO PRIMING)		VACUUM-ASSISTED DRY PRIMING		SELF-PRIMING PUMPS	
	CLEAR LIQUIDS	SOLIDS HANDLING	CLEAR LIQUIDS	SOLIDS HANDLING	GT SERIES	GS SERIES
PUMP SIZE	3-12" (80-300 mm)	4-18" (80-460 mm)	3-12" (80-300 mm)	4-18" (80-460 mm)	3-6" (76-150 mm)	3-10" (76-250 mm)
FLOW RANGE	20-18,500 gpm (4-4,200 m ³ /h)		20-18,500 gpm (4-4,200 m ³ /h)		660-2,250 gpm (150-511 m ³ /h)	490-3,450 gpm (111-783 m ³ /h)
MAX HEAD	850+ feet (260+ meters)	700+ feet (210+ meters)	850+ feet (260+ meters)	700+ feet (210+ meters)	250+ feet (76+ meters)	175+ feet (53+ meters)
SOLIDS SIZE	0.5-2.3" (10-60 mm)	2-4.5" (50-115 mm)	0.5-2.3" (10-60 mm)	2-4.5" (50-115 mm)	2.5-3" (63-76 mm)	
WET END MATERIAL	Ductile Iron		Ductile Iron		Ductile Iron	
IMPELLER MATERIAL	CA6NM Stainless Steel		CA6NM Stainless Steel		Ductile Iron	

PIONEER PUMP SOLUTIONS

	STANDARD CENTRIFUGAL PUMPS		PIONEER PRIME PUMPS		SELF-PRIMING PUMPS	
	CLEAR LIQUIDS	SOLIDS HANDLING	CLEAR LIQUIDS	SOLIDS HANDLING	GT SERIES	GS SERIES
MODELS	SC32C10	SC44S8	PP425C75	PP44S8	GT3	GS3
	SC425C75	SC44S8B	PP425C75	PP44S8B	GT4	GS4
	SC425C10	SC44S10	PP425C10	PP44S10	GT6	GS6
	SC43C75	SC64S12	PP43C75	PP64S12	-	GS8
	SC43C10	SC64S17	PP43C10	PP64S17	-	GS10
	SC43C21	SC66S10	PP43C21	PP66S10	-	-
	SC44C75	SC66S12	PP44C75	PP66S12	-	-
	SC53C14	SC66S14	PP53C14	PP66S14	-	-
	SC54C75	SC86S17	PP54C75	PP86S17	-	-
	SC63C17	SC86S20	PP63C17	PP86S20	-	-
	SC64C10	SC88S12	PP64C10	PP88S12	-	-
	SC64C14	SC108S17	PP64C14	PP108S17	-	-
	SC64C17	SC128S20	PP64C17	PP128S20	-	-
	SC64C21	SC128S22	PP64C21	PP128S22	-	-
	SC66C14	SC1212S17	PP66C14	PP1212S17	-	-
	SC86C95	SC1414S17	PP86C95	PP1414S17	-	-
	SC86C10	SC1818S22	PP86C10	PP1818S22	-	-
	SC86C14	-	PP86C14	-	-	-
	SC86C17	-	PP86C17	-	-	-
	SC86C17B	-	PP86C17B	-	-	-
	SC86C21	-	PP86C21	-	-	-
	SC108C18	-	PP108C18	-	-	-
	SC108C24	-	PP108C24	-	-	-
	SC1010C14	-	PP1010C14	-	-	-
	SC1212C17	-	PP1212C17	-	-	-

STANDARD CENTRIFUGAL



Pioneer standard centrifugal pumps provide superior performance in a variety of high pressure, sewage, trash or dewatering applications. The large stainless-steel impeller eye yields lower NPSHr and improved vapor-handling capabilities, making them ideal for industrial, municipal, agricultural, mining, and oil and gas settings.

KEY BENEFITS

- Reduce operating costs with a high-performance impeller design that provides more flow with less horsepower
- Minimize maintenance and overhead costs

CLEAR LIQUIDS

Our best in class standard centrifugal clear liquid processing pumps optimize performance in high pressure applications.

FEATURES:

- Available from 3" to 12" sizes
- Casing balance line is fitted on extreme high head models to improve mechanical seal life
- NSF/ASNI 61-certified versions available

SOLIDS HANDLING

Pioneer standard centrifugal pumps are designed to handle the toughest dewatering, sewage, and trash applications.

FEATURES:

- Available from 4" to 18" sizes
- Handles solids sizes 2" to 4.5" in diameter

PIONEER PRIME



All Pioneer standard centrifugal pumps can be upgraded to a Pioneer Prime vacuum-assisted self-priming pump that delivers extreme flows with high head capability and utilizes our advanced priming system. This dry prime system is capable of rapid (50 CFM) unattended priming and operation for the ultimate in reliable performance, even in run-dry situations and suction lift applications. The Pioneer Prime system combined with our low NPSHr impeller design achieves better suction lift and faster priming than the competition.

KEY BENEFITS


- Enables unassisted dry priming
- Achieve higher performance and increased energy efficiency
- Faster priming time compared to compressor-driven priming systems

THE PIONEER PRIME ADVANTAGE

A true dry-prime pump, our self-priming system eliminates the need for water to prime the pump and is engineered to prevent product carryover. The Pioneer Prime hydraulic design maximizes lift capability and offers both quick initial priming and continuous, unattended reprime under auto stop/start conditions.

FEATURES:

- 1. Stainless Steel Air Separation Valve**
Allows for rapid priming with no product carryover
- 2. Priming Chamber**
Stainless steel internal parts for longer life
- 3. Reliable Sealing Components**
Hybrid cassette seals simultaneously prevent leakage and eliminate shaft wear
- 4. Heavy-Duty Modular Bearing Housing**
Designed to run at high speeds without risk of shaft or bearing failure
- 5. Run-Dry System**
Oil-lubricated mechanical seal allows the pump to run completely dry without damage
- 6. Vacuum Pump**
Belt driven from pump shaft



SELF-PRIMING



Pioneer self-priming pumps are designed for reliable solids and clear liquids handling. After initial priming, they continue to re-prime – for low maintenance and cost-effective performance. Constructed with the best materials including standard heavy-wall ductile iron volute and 17-4 PH stainless steel shaft for durability and peace of mind.

KEY BENEFITS

- External shimless impeller adjustment allows user to easily adjust the tolerance between the impeller and wearplate
- Cartridge type tungsten mechanical seal makes for ease of maintenance and simple installation

GT SERIES

Engineered for increased durability and operation at higher speeds than the industry standard for self-priming pumps.

FEATURES:

- Larger shaft design, heavy-duty bearing frame and ductile iron construction
- Unique suction design improves NPSHr and alleviates abrasion wear on pump
- Distinct cover combines both the fill access port and flapper check valve into one to improve ease of use



GS SERIES

A cost-effective solution for high head applications with high performance demands.


FEATURES:

- Designed to handle solids and clear liquids while providing exceptional performance and reliability
- Pump footprint is compatible with other manufacturer models, making it an ideal direct replacement option
- Rotating assemblies are interchangeable with other industry standard self-priming pumps




PERFORMANCE CURVES: CLEAR LIQUIDS PUMPS

SMALL CLEAR LIQUIDS PUMPS




LARGE CLEAR LIQUIDS PUMPS




*Performance curves represent pump performance for both Standard Centrifugal and Pioneer Prime configurations of each pump end.

PERFORMANCE CURVES: CLEAR LIQUIDS & SOLIDS HANDLING PUMPS

CLEAR LIQUIDS PUMPS - HIGH HEAD




SOLIDS HANDLING PUMPS




*Performance curves represent pump performance for both Standard Centrifugal and Pioneer Prime configurations of each pump end.

PERFORMANCE CURVES: SOLIDS HANDLING PUMPS

SOLIDS HANDLING PUMPS - HIGH FLOW




SOLIDS HANDLING PUMPS - HIGH HEAD



*Performance curves represent pump performance for both Standard Centrifugal and Pioneer Prime configurations of each pump end.

PERFORMANCE CURVES: SELF-PRIMING PUMPS

SELF-PRIMING PUMPS - GS & GT SERIES



*Performance curves represent pump performance for both Standard Centrifugal and Pioneer Prime configurations of each pump end.

PACKAGES



A comprehensive range of pump package options are available for fixed and portable installations with vacuum-assisted priming and standard centrifugal pump ends. These packages are built to last and engineered for optimal performance in the toughest environments.


KEY BENEFITS

- Select from diesel engine and electric motor power options to meet your application needs
- Configurations include open and enclosed, skid and trailer packages



FIND THE RIGHT PUMP FOR THE JOB

With so many pumping system options, it can take time to pinpoint the solution that will work best for your project. FE Select can help you optimize a system for its unique needs. If you are new to this tool, learn more about how its key features can work for you in simplifying the selection and quotation process:



STREAMLINED EXPERIENCE FROM SELECTION TO STARTUP

With 24/7 online and mobile-friendly availability, FE Select instantly helps you formalize your deliverables with printable and downloadable quotes: no waiting for a callback.

FE Select is the industry-leading online tool from Franklin Electric that makes pump sizing and selection easy for contractors, engineers, fleet managers and wholesale distributors. It's secure and free-to-use: input your performance requirements and FE Select will help you find the best Pioneer diesel package to fit your needs.

GETTING WHAT YOU NEED HAS NEVER BEEN EASIER

- Configure and quote pump packages to meet your application requirements, anytime and from any web-enabled device.
- Download full technical specifications and generate pricing in minutes.
- Generate dimensional drawings and bid spec documents quickly and hassle free.
- Package curves and performance specifications available at your fingertips.



MAXIMIZE UPTIME WITH PIONEER PUMP'S EXPERT SERVICES NETWORK

Keep your pumps operating at peak performance with OEM-supported service, genuine replacement parts, and expert technical support. Backed by a nationwide network of field service technicians, **Pioneer Pump's Expert Services Network** provides on-site assistance, hands-on training, rapid diagnostics, and repair solutions designed to reduce downtime, improve turnaround times, and keep equipment operational and rent-ready.



Franklin Electric is a global leader in the manufacturing and distribution of products and systems focused on the movement and management of water. We offer pumps, motors, drives and controls for use in a wide variety of agricultural, commercial, industrial, municipal and residential applications.

Connect with Us!

